

Form PTO-1449
U.S. DEPARTMENT OF COMMERCE (Rev. 7-80)
PATENT AND TRADEMARK OFFICE

LIST OF INFORMATION CITED BY APPLICANT (Use several sheets if necessary)

ATTORNEY DOCKET NO.: 21099.0074U2 SERIAL NO. 10/079,130

APPLICANT: Meagher et al.

FILING DATE: February 20, 2002

GROUP: Unassigned

				FILING DATE: February 20, 2002		0.1001	Ineseigned
				U.S. PATENT DOCUMENTS			
EXAMINER INITIALS		DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
I.O.	A1	4,978,625	12/18/90	Wagner et al.			
1	A2	5,212,072	05/18/93	Blalock et al.			
	A3	5,264,341	11/23/93	Maciak			
	A4	5,627,052	05/06/97	Schrader			
					1		
	<u> </u>	'	ı	FOREIGN PATENT DOCUMENTS	·		
	A5	DE19900635	07/13/00	Moldenhauer et al., Germany with Abstract			
		OTHER PRIC	R ART (inc	luding Author, Title, Date, Per	tinent Pag	es, Etc.)	
	A6			antibodies: technology and potentia			oc 181, 1005-10
	A7	Condon et al. "Aberrant trafficking of the B cell receptor Ig-alpha beta subunit in a B lymphoma cell line" J Immunol 165, 1427-37, 2000					
	A8	Coursen et al immortalization	l. "Genomic ir on by human	nstability and telomerase activity in h papillomavirus-16 E6 and E7 genes	numan brond " Exp Cell I	chial epithelial Res 235, 245-	cells during 53, 1997
	A9	DeFranco et a 1994	al. "Structure	and Function of the B-Cell Antigen	Receptor" C	Chem Immuno	<i>l.</i> 59:156-1 72 ,
	A10	mechanism th	nat limits life s	atinocytes that express hTERT and span become immortal yet retain no 3iol 20(4):1436-47, 2000	also bypass rmal growth	a p16(INK4a and differenti)-enforced ation
	A11	cleavage poly	adenylation:	filcarek, C. "The binding of a subun specificity factor CPSF) to polyaden is Symposium Series 33, 229-233,	ylation sites	eral polyaden changes duri	ylation factor ng B cell
	A12	involves a ch	ange in the bi	lilcarek, C. "Regulation of poly(A) sit inding of a general polyadenylation logy 15, 6420-6429, 1995	e use during factor in a B	g mouse B-ce -cell stage-sp	ll development ecific manner"
	A13			ernative poly(A) site selection in cor 25, 2547-2561, 1997	nplex transo	cription units: r	means to an
	A14	gene contribu 1995	ites to efficier	ntranslated region of membrane executive transcription termination." Journal	of Biologica	I Chemistry 27	70, 11903-11,
	A15	Flaspohler, J. similar transc	. A. and Milca	arek. C. "Myelomas and lymphomas atton regions" Journal of Immunology	expressing y 144, 280	the Igγ2a H o 2-2810, 1990	chain gene have
10	A16			ecular cloning of the Ig- a subunit of s 36:266-269, 1992	the human	B-cell antigen	receptor

Ilia Ouspenshi 2/14/2005

		Page 2 of 1
TA TRADENIA	A17	Flaswinkel and Reth, "Dual role of the tyrosine activation motif of the Ig-α protein during signal transduction via the B cell antigen receptor. <i>The EMBO Journal</i> 13(1):83-89, 1994
	A18	Fraser, C.M. and Venter, J.C. "Monoclonal antibodies to beta-adrenergic receptors: use in purification and molecular characterization of beta receptors" <i>Proc Natl Acad Sci</i> 77, 7034-8, 1980
	A19	Galli et al. "Relative position and strengths of poly(A) sites as well as transcription termination are critical to membrane vs secreted mu-chain expression during B-cell development" Genes & Dev 1, 471-481, 1987
	A20	Genovese et al. "Differential mRNA stabilities affect mRNA levels in mutant mouse myeloma cells" Somat Cell Mol Genet 17, 69-81, 1991
	A21	Genovese C. and Milcarek, C. "Increased half-life of mu immunoglobulin mRNA during mouse B cell development increases its abundancy" <i>Mol Immunol</i> 27, 733-43, 1990
	A22	Glennie, M.J. and Johnson, P.W. "Clinical trials of antibody therapy" Immunol Today 21, 403-10, 2000
	A23	Glennie, M.J. and van de Winkel, Jan G.J. "Renaissance of cancer therapeutic antibodies." <i>DDT</i> 8(11):503-510, 2003
	A24	Gold and Matsuuchi, "Signal Transduction by the Antigen Receptors of B and T Lymphocytes" International Review of Cytology 157:181-276, 1995
	A25	Graziano and Fanger "FcyRI and FcyRII on Monocytes and Granulocytes are Cytotoxic Trigger Molecules for Tumor Cells" <i>J. of Immun.</i> 139: 3536-3541, 1987
	A26	Green, Larry L. "Antibody engineering via genetic engineering of the mouse: XenoMouse strains are a vehicle for the facile generation of therapeutic human monoclonal antibodies." <i>J. Immuno. Methods</i> 231:11-23, 1999
	A27	Greenberg et al. "Telomerase reverse transcriptase gene is a direct target of c-Myc but is not functionally equivalent in cellular transformation" Oncogene 18, 1219-26, 1999
	A28	Greene et al. "Monoclonal antibodies to human estrogen receptor" <i>Proc Natl Acad Sci</i> U S A 77, 5115-9, 1980
	A29	Guise et al. "Alternative expression of secreted and membrane forms of immunoglobulin μ-chain is regulated by transcriptional termination in stable plasmacytoma transfectants" <i>Journal of Immunology</i> 140, 3988-3994, 1988
	A30	Hall, B. L. and Milcarek, C. "Sequence and polyadenylation site determination of murine immunoglobulin gamma 2a membrane 3' untranslated region" <i>Mol Immunol</i> 26, 819-826, 1989.
	A31	Hashimoto et al. "Alternative splicing of CD79a (Ig-alpha/mb-1) and CD79b (Ig-beta/B29) RNA transcripts in human B cells" Mol Immunol 32, 651-9, 1995
	A32	Hattori et al. "The DNA sequence of human chromosome 21. The chromosome 21 mapping and sequencing consortium" Nature 405, 311-9, 2000
	A34	Hombach et al. "Identification of the genes encoding the IgM-alpha and Ig-beta components of the IgM antigen receptor complex by amino-terminal sequencing" <i>Eur J Immunol</i> 20, 2795-9, 1990
	A35	Hombach et al. "Molecular components of the B-cell antigen receptor complex of the IgM class" Nature 343, 760-2, 1990
	A36	Hurwitz et al. "C _H gene rearrangements in IgM-bearing B cells and in the normal splenic DNA component of hybridomas making different isotypes of antibody" Cell 22, 349-59, 1980
	A37	Kanavaros et al. "Discordant expression of immunoglobulin and its associated molecule mb-1/CD79a is frequently found in mediastinal large B cell lymphomas" <i>Am J Pathol</i> 146, 735-41, 1995
	A38	Kandasamy et al. "The late pollen specific actins in angiosperms" Plant J 18, 681-691, 1999
	A39	Kelly, D. E., and Perry, R. P. "Transcriptional and post-transcriptional control of Ig mRNA production during B lymphocyte development" <i>Nucleic Acids Research</i> 14, 5431-5441, 1986
D.O.	A40	Kim et al. "Immortalization of human embryonic fibroblasts by overexpression of c- myc and simian virus 40 large T antigen" Exp Mol Med 33, 293-8, 2001

Ilia Ouspenshi 2/14/2005

JUH 2 4 2004	<i>S</i> 1	Page 3 of 1
TRADEMAS	A41	Kim et al. "Differential signaling through the Ig-α and Ig-β components of the B cell antigen receptor" Mol. Immunol. 23: 911-916, 1993
	A42	Kiyono et al. "Both Rb/p16 ^{INK4a} inactivation and telomerase activity are required to immortalize human epithelial cells" <i>Nature</i> 396, 84-8, 1998
	A43	Kobrin, B. J. et al. Sequences near the 3' secretion-specific polyadenylation site influence levels of secretion-specific and membrane-specific IgG2b mRNA in myeloma cells" <i>Molecular and Cellular Biology</i> 6, 1687-1697, 1986
	A44	Kohler, G., and Milstein, C. "Continuous cultures of fused cells secreting antibody of predefined specificity" <i>Nature</i> 256, 495, 1975
	A45	Kohler and Milstein. "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion." Eur. J. Immunol. 6:495-497. (1975)
	A46	Kraus et al. "Ig-α Cytoplasmic Truncation Renders Immature B Cell More Sensitive to Antigen Contact," Immunity 11:537-545, 1999
	A47	Laird et al. "50 million years of chordate evolution: Seeking the origins of adaptive immunity." PNAS 97(13):6924-6926, 2000
	A48	Lassman, C. R., and Milcarek, C. "Regulated expression of the mouse γ2b lg H chain gene is influenced by polyA site order and strength" <i>J Immunol</i> 148(8), 2578-2585, 1992
	A49	Lassman et al. "Plasma cell-regulated polyadenylation at the lg gamma 2b secretion-specific poly(A) site" J Immunol 148, 1251-60, 1992.
	A50	Lebman et al. "Regulation of usage of membrane and secreted 3' termini of alpha mRNA differs from mu mRNA" Journal of Immunology 148, 3282-3289, 1992
	A51	Leno et al. "IgG Production in Hybridoma Batch Culture: Kinetics of IgG mRNA, Cytoplasmic-, Secreted-and Membrane-Bound Antibody Levels" <i>Journal of Biotechnology</i> 20: 301-312, 1991
	A52	Li et al. "Rapid isolation of monoclonal antibodies: monitoring enzymes in the phytochelatin synthesis pathway" <i>Plant Physiol</i> 711-719(2001)
	A53	Li et al. "Genetic diversity of the human immunoglobulin heavy chain V _H region." <i>Immunological Reviews</i> 190:53-68, 2002
	A54	Lockhart, D.J. and Winzeler, E.A. "Genomics, gene expression and DNA arrays" Nature 405, 827-36, 2000
	A55	MacBeath, G. and Schreiber, S.L. "Printing proteins as microarrays for high-throughput function determination" Science 289, 1760-3, 2000
	A56	Matis et al. "B-lineage regulated polyadenylation occurs on weak poly(A) sites regardless of sequence composition at the cleavage and downstream regions" <i>Nucleic Acids Res</i> 24, 4684-92, 1996
	A57	Matsuuchi et al. "The membrane IgM-associated proteins MB-1 and Ig-β are sufficient to promote surface expression of a partially functional B-cell antigen receptor in a nonlymphoid cell line" <i>Proc. Natl. Acad. Sci. USA</i> 89:3404-3408, 1992
	A58	McKinney et al. "Optimizing antibody production in batch hybridoma cell culture" Journal of Biotechnology 40: 31-48, 1995
	A59	Meilhoc et al. "Application of flow cytometric measurement of surface IgG in kinetic analysis of monoclonal antibody synthesis and secretion by murine hybridoma cells" <i>J Immunol Methods</i> 121, 167-174, 1989
	A60	Milcarek, C., and Hall, B. "Cell-specific expression of secreted versus membrane forms of immunoglobulin gamma 2b mRNA involves selective use of alternate polyadenylation sites" <i>Mol Cell Biol</i> 5, 2514-2520, 1985
	A61	Milcarek et al. "Changes in abundance of IgG 2a mRNA in the nucleus and cytoplasm of a murine B-lymphoma before and after fusion to a myeloma cell" <i>Mol Immunol</i> 33, 691-701, 1996
\$.0.	A62	Milcarek et al. "The Metabolism of a Poly(a) Minus mRNA Fraction in LeLa Cells." Cell 3:1-10, 1974

Ilia Ouspeushi 2/14/2005

•	10,01	3,130	
	Page	4 of 1	

' A	<u>Ē</u>	Page 4 of 1
TIO.	A63	Miller et al. "Treatment of B-cell lymphoma with monoclonal anti-idiotype antibody." N Engl J Med 306, 517-22, 1982
+10.	A64	Milstein, C. "With the benefit of hindsight" Immunol Today 21, 359-64, 2000
	A65	Milstein, C. "The hybridoma revolution: an offshoot of basic research." BioEssay 21:966-973, 1999
	A66	Morio et al. "The <i>Dictyostelium</i> developmental cDNA project: generation and analysis of expressed sequence tags from the first-finger stage of development" <i>DNA Res</i> 5, 335-40, 1998
	A67	Munn et al. "Role of Low-Affinity Fc Receptors in Antibody-Dependent Tumor Cell Phagocytosis by Human Monocyte-Derived Macrophages" Cancer Res. 51: 1117-1123, 1991
	A68	Nygren and Uhlen. "Scaffolds for eingeering novel binding sites in proteins." Engineering and Design 7:463-469, 1997
	A69	O'Reilly et al. "Rapid hybridoma screening method for the identification of monoclonal antibodies to low- abundance cytoplasmic proteins" <i>Biotechniques</i> 25, 824-30, 1998
	A70	Oi et al. "Immunoglobulin gene expression in transformed lymphoid cells" <i>Proc Natl Acad Sci</i> U S A 80, 825-9, 1983
	A71	Opitz et al. "Cyclin D1 overexpression and p53 inactivation immortalize primary oral keratinocytes by a telomerase-independent mechanism" <i>J Clin Invest</i> 108, 725-32, 2001
	A72	Ozturk and Palsson: "Loss of Antibody Productivity During Long-Term Cultivation of a Hybridoma Cell Line in Low Serum and Serum-Free Media" <i>Hybridoma</i> 9: 167-175, 1990
	A73	Pandey, A., and Mann, M. "Proteomics to study genes and genomes" Nature 405, 837-46, 2000
	A74	Pandey et al. "Analysis of receptor signaling pathways by mass spectrometry: identification of vav-2 as a substrate of the epidermal and platelet-derived growth factor receptors" <i>Proc Natl Acad Sci</i> U S A 97, 179-84, 2000
	A75	Papavasiliou et al. "The Cytoplasmic Domains of Immunoglobulin (Ig) α and Igβ Can Independently Induce the Precursor B Cell Transition and Allelic Exclusion," <i>J. Exp. Med</i> 182:1389-1393, 1995
	A76	Parks et al. "Antigen-specific identification and cloning of hybridomas with a fluorescence-activated cell sorter" <i>Proc Natl Acad Sci</i> U S A 76, 1962-6, 1979
	A77	Pelanda et al. "B Cell Progenitors Are Arrested in Maturatin but Have Intact VDJ Recombination in the Absence of Ig- α and Ig- β ¹ ." J. of Immun 169:865-872, 2002
	A78	Persidis, A. "Proteomics" Nat Biotechnol 16, 393-4, 1998
	A79	Phillips et al. "Regulation of nuclear poly(A) addition controls the expression of immunoglobulin M secretory mRNA" <i>The EMBO Journal</i> 20(22):6443-6452, 2001
	A80	Rapp et al. "The Use of the Flourescent-Activated Cell Sorter to Monitor Changes in Cell-Specific Productivity and its Application to Large Scale Culture" Advances in Animal Cell Biology and Technology for BioProcesses, 129-133, 1989
	A81	Reichlin et al. "B Cell Development is Arrested at the Immature B Cell State in Mice Carrying a Mutation in the Cytoplasmic Domain of Immunoglobin b. <i>J. Exp. Med.01</i> , 193(1):13-23, Jan. 2001
	A82	Reth et al. "An unsolved problem of the clonal selection theory and the model of an oligomeric B-cell antigen receptor" <i>Immunol. Rev.</i> 176: 10-18, 2000
	A83	Reth et al. "The B-cell antigen receptor complex." Immun Today 12(6):196-201, 1991
	A84	Reth, Michael "Antigen Receptors on B Lymphocytes." Annu. Rev. Immunol. 10:97-121, 1992
	A85	Richards et al. "Reconstitution of B cell antigen receptor-induced signaling events in a nonlymphoid cell line by expressing the Syk protein-tyrosine kinase" <i>J Biol Chem</i> 271, 6458-66, 1996
	A86	Russo et al. "A telomere-independent senescence mechanism is the sole barrier to Syrian hamster cell immortalization" <i>Oncogene</i> 17, 3417-26, 1998
IO.	A87	Sakaguchi et al. "B lymphocyte lineage-restricted expression of mb-1, a gene with CD3-like structural properties" Embo J 7, 3457-64, 1988

Ilia Ouspeushi 2/14/2005

ATTORNEY DOCKET NO. 21099.0074U2 SERIAL NO. 10/079,130 Page 5 of 1

Ž,	\$	
D. O.	A88	Schamel and Reth, "Stability of the B cell antigen receptor complex." Molecular Immunology 37:253-259, 2000
	A89	Schildbach et al. "Contribution of a single heavy chain residue to specificity of an anti-digoxin monoclonal antibody" <i>Protein Science</i> 3:737-749, 1994
	A90	Stevens et al. "A Mutation of the µ Transmembrane that Disrupts Endoplasmic Reticulum Retention," J. Immunol. 4397-4406, 1994
	A91	Sun et al. "Transfectomas expressing both secreted and membrane-bound forms of chimeric IgE with anti-viral specificity" J Immunol 146, 199-205, 1991
	A92	Syrigos et al. "Use of monoclonal antibodies for the diagnosis and treatment of bladder cancer" Hybridoma 18, 219-224, 1999
	A93	Torris et al. "Aberrant B Cell Development and Immune Response in Mice with a Compromised BCR Complex." Science 272(5269):1804-1808, 1996
	A94	Wang and Clark, "Iga: B all that you can B," J. Clin Invest. 104(8):1011-1012, 1999
	A95	Weiser et al. The internalization of the IgG2a antigen receptor does not require the association with Ig-α and Ig-β but the activation of protein tyrosine kinases does." Eur. J. Immunol. 24:665-671, 1994
	A96	Wienands et al. "Molecular components of the B cell antigen receptor complex of class IgD differ partly from those of IgM" EMBO Journal 9: 449-456, 1990
2.0.	A97	Yuan, D., and Tucker, P. W. "Transcriptional regulation of the mu-delta heavy chain locus in normal murine B-lymphocytes" <i>J Exp Medicine 160</i> , 564-572, 1984.
		

EXAMINER: This Ouspensh Date Considered: 02/14/2005

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.